

### **Data Sheet**

# CellGenix® GMP Recombinant Human Interleukin-4 (rh IL-4), USP grade Order No.: 1003-050 (50 µg), 1003-1000 (1000 µg)

#### **Product Characteristics**

Source E. coli

**Description** Human Interleukin-4, accession # P05112, His25-Ser153

N-terminal Met

Molecular mass 15.1 kDa

Formulation Lyophilized from a 0.2 µm-filtered solution containing 1.5 mM potassium phosphate,

8.1 mM sodium phosphate, 2.7 mM potassium chloride and 137 mM sodium chloride,

pH 7.5

**Intended use** For further manufacturing use.

#### **Quality Parameters**

**Identity** Confirmed by DNA-sequencing of the expression plasmid in end-of-production cells

and N-terminal sequencing of the final product

Activity 8 - 14 x 10<sup>6</sup> IU/mg<sup>1</sup> calibrated against the NIBSC #88/656

Measured in a cell proliferation assay using an IL-4-dependent cell line, TF1

Purity ≥ 97 %, as determined by SDS-PAGE (under reducing and non-reducing conditions,

visualized by silver staining)

**Product-related proteins** ≤ 10 % oligomers as determined by SDS-PAGE (under reducing and non-reducing

conditions, visualized by silver staining)

Host-cell DNA ≤ 1.0 ng/mg, as determined with the Threshold® system<sup>2</sup>

Host-cell protein  $\leq$  1.0 µg/mg, as determined by ELISA

Endotoxin ≤ 50 EU/mg, as determined by LAL gel clot test according to Ph. Eur. and USP

Sterility Sterility test according to Ph. Eur. and USP of the vialed product

Mass per vial  $50 \mu g: 43 - 57 \mu g, 1000 \mu g: 900 - 1100 \mu g$ 

as determined by spectrophotometrical measurement

Animal-derived ADCF Level 2: The final product contains neither animal- nor human-derived component-free materials. ADCF Level 2 cytokines are produced in our dedicated animal-free facility.

No animal-derived components are used throughout the complete production process.

All ADCF Level 2 cytokines are produced in E. coli.



<sup>&</sup>lt;sup>1</sup> USP units are equivalent to International Units per mg (IU/mg)

<sup>&</sup>lt;sup>2</sup> Threshold® System is a trademark of Molecular Devices, Inc.



# Shipment & Storage

**Transport** Ambient temperature. Please refer to Technote (www.cellgenix.com)

Shelf life Minimum 6 months from date of shipping

Storage & Stability Store lyophilized cytokine at -20 °C to -80 °C.

Store a 250 µg/ml cytokine solution

• 4 weeks at 2 °C to 8 °C under sterile conditions after reconstitution. Store in the original container.

• 4 months at -20 °C to -80 °C under sterile conditions after reconstitution. Store in 60 μl aliquots in polypropylene cryogenic vials.

Avoid repeated freeze/thaw cycles.

# **Handling Instructions**

**Recommended** in sterile water to a final concentration of 250 μg/ml for 50 μg vials or

 $500 \mu g/ml$  for  $1000 \mu g$  vials.

**Dilution** Recommended in CellGenix® serum-free media. For dilution with protein free medium,

a carrier protein (0.1–1 % albumin or 1–10 % appropriate serum) has to be included. Failure to dilute product according to these instructions may result in loss of activity.

# **Quality Statement**

This product is manufactured, tested and released in compliance with the relevant GMP-guidelines. No animal- or human-derived components are present in the final product and no animal- or human-derived materials were used in production (ADCF Level 2). USP chapter <1043> has been considered in the design of this product. This product is compliant with USP chapter <92>, Ph. Eur. general chapter 5.2.12 and ISO Technical Standard 20399.